

B - T E C H A U D I O V I D E O M O U N T S

AV Mounting Solutions



mountlogic®
range

www.btechavmounts.com



Key to Icons used



Recommended
Maximum Screen Size



Max VESA® Size



VESA® Fixing Compatible



Weight Limit



Black



Tilt Range



Piano Black



Swivel Range



Silver



360° Rotation



White



Post Installation
Screen Alignment



Chrome



OWLS™
On Wall Levelling System



Clear Glass

Contents

mountlogic®
range



Installation made easy	Page 4-5	VESA mounting adaptors	Page 33
A range of mounting solutions	Page 6-7	Cable management solutions	Page 34-35
Flat screen wall mount features	Page 8-9	AV component shelves	Page 36-37
Small flat screen mounts	Page 10-13	Speaker mount features	Page 38-39
Medium flat screen mounts	Page 14-17	Speaker mounts and stands	Page 40-47
Medium / large flat screen mounts	Page 18-19	Projector mount features	Page 48-49
Ultra-Slim LED mounts	Page 21-23	Projector mounts	Page 50-53
Universal flat screen mounts	Page 24-27	HDMI cables	Page 54-55
Flat screen ceiling mount features	Page 28-29	Bib® AV care and cleaning accessories	Page 56-57
Flat screen ceiling mounts	Page 30-31	Other AV mounting catalogues	Page 58-59
Other flat screen mounting solutions	Page 32	Index	Page 62

Products Designed to Meet GS/TUV Safety Standards

Safe - Solid - Secure™

B-Tech mounts are designed to meet the stringent GS/TUV safety standards so you can be sure that your equipment stays where you put it. Our in-house testing facility allows us to develop products that meet both the TUV and our own high standards.



Lifetime Guarantee

All B-Tech mounts and supports are backed by a 10-year limited lifetime guarantee.

Original Products Designed and Engineered in the UK



B-Tech AV mounts and supports are designed and engineered in the UK. All products have registered community design protection to prevent low quality copies reaching the market. Where you see the B-Tech logo you can be sure you are buying a tried and tested product, trusted by consumers and installers worldwide.



All Mountlogic® products have been designed to be extremely easy to install. Mounts come pre-assembled to make the installation even easier and with comprehensive mounting kits included, installation really is as simple as 1 – 2 – 3.



Simple Installation

as easy as 1-2-3



1 Fit the interface to your screen.



2 Mount the wall plate to the wall.



3 Hook on the screen!

A range of mounting solutions all under one roof

B-Tech's comprehensive range of 'Mountlogic' audio video mounts has been specifically developed for use with all your home AV equipment. This core range of over 50 mounting solutions has been designed for simple installation and come with many additional features making our mounts easy to install and great to use. Key features include the 'OWLS™' On Wall Levelling System to ensure your screen is mounted level, integrated cable management for a smart installation, and easy to follow instruction manuals for trouble-free installation.

B-Tech mounts come in a choice of colours: Black, Silver and White



Kitchen

Typical mounting solutions include small flat screen mounts including an under-cabinet mount. Microwave wall mounts are also available from B-Tech*.

*Please see separate catalogue - see page 58, 59



Living Room

A comprehensive range of flat screen mounts, speaker wall mounts, speaker floor stands, AV component shelves and cable management solutions are available for your living area.



Study

A wide range of mounts are available for the home office including flat screen mounts, speaker mounts and desk mounts*.



Bedroom

Flat screen wall mounts suitable for any size screen are ideal for bedroom applications. Speaker mounts are also ideal for bedrooms where space may be limited.



mountlogic[®]
range

Living Room

Bedroom

Study

Kitchen

B-Tech specialise in mounting solutions for every room in the house!

Flat screen mount features

B-Tech flat screen mounts not only offer all the great features below, they are also supplied with a comprehensive hardware kit so you don't have to buy any other fixings or hardware to mount your screen. With both VESA® compliant and universal flat screen mounts in the range, Mountlogic flat screen mounts provide solutions for DIY installations of screens up to 65" and options for both wall and ceiling mounting.*

- **Mounts comes pre-assembled for quick and easy installation**
- **Easy to follow pictorial instructions**
- **Universal and VESA® compatibility**
- **OWLS™ On Wall Levelling System**
- **CLIPLOGIC™ cable management system**
- **Pin-Hex security screws as standard**

What does VESA® mean?

VESA® is an industry standard for the positioning of mounting holes on the rear of flat screens. Many screen manufacturers



follow these guidelines and use VESA® mounting patterns – of with there are many different size patterns. Where a mount states “VESA® 100 x 100mm”, it means that it will fit any screen that is VESA® 100 compliant. For more information please ask your local supplier or visit www.btechavmounts.com



mountlogic®
range

Easy 1-2-3 Step Installation

B-Tech mounts are supplied pre-assembled for a quick and easy installation every time. It's no surprise we are chosen time and time again by professional installers!




OWLS™- On Wall Levelling System

The OWLS™ feature found on B-Tech mounts allows the wall mounting plate to be levelled after it's attached to the wall. This means that if the mount is not quite level then you don't have to re-drill your wall.

CLIPLOGIC™ Cable Management

Many B-Tech mounts feature integrated cable management. On B-Tech wall arms, B-Tech also supply their excellent **CLIPLOGIC™** cable management clips for quick and stylish cable management.



Pin-Hex Security

For added security and safety, B-Tech provides Pin-Hex Security screws and keys as standard. These simple security screws are an added deterrent to anyone considering removing the screen without the correct tool.

Compatible with System 2™

Many of the mounts featured in this catalogue are compatible with the System 2™ Professional mounting range from B-Tech. For more information on alternative installation options please visit our website www.btechavmounts.com



Small Flat Screen Wall Mounts

Fixed



BT7510

Low Profile Flat Screen Wall Mount

- Designed for small flat screens up to 23" (58cm) / 20kg (44lbs)
- Fits screens with VESA® mounting patterns: 50 x 50mm, 75 x 75mm and 100 x 100mm
- Low profile design mounts screen only 15mm (0.6") from wall
- Security locking screws & Allen key provided for a secure installation
- Simple 'hook-on' installation with all mounting hardware included



Available in Black and Silver



Registered Design Number: 001713280-0003

Tilt



BT7511

Flat Screen Wall Mount with Tilt

- Designed for small flat screens up to 23" (58cm) / 20kg (44lbs)
- Fits screens with VESA® mounting patterns: 75 x 75mm and 100 x 100mm
- Easy tilt adjustment +17°/-10°
- Mounts screen only 55mm (2.1") from wall
- Security locking screws & Allen key provided for secure installation
- Simple 'hook-on' installation with all mounting hardware included



Available in Black and Silver



Registered Design Number: 001713280-0004

Tilt & Swivel



BT7518

Flat Screen Wall Mount with Tilt and Swivel

- Designed for small flat screens up to 23" (58cm) / 20kg (44lbs)
- Fits screens with VESA® mounting patterns:
75 x 75mm and 100 x 100mm
- Features +17°/-10° tilt and 180° swivel
- 360° rotation for easy screen levelling and to allow screen to be mounted in landscape or portrait style
- Security locking screws & Allen key provided for a secure installation
- Simple 'hook-on' installation with all mounting hardware included



Available in Piano Black and Silver



Registered Design Number: 001713280-0009



For Technical
Specifications visit
www.btechavmounts.com

Recommended for
Small
screens up to 23"

Small Flat Screen Wall Mounts

Single Arm

Double Arm



23"
58cm



BT7512

Single Arm Flat Screen Wall Mount with Tilt and Swivel

- Designed for small flat screens up to 23" (58cm) / 15kg (33lbs)
- Fits screens with VESA® mounting patterns: 75 x 75mm and 100 x 100mm
- Easy tilt adjustment +17°/-10°
- Features 2 swivel points: 180° at wall and 240° at interface
- CLIPLOGIC™ cable management included
- 360° rotation for easy screen levelling and to allow screen to be mounted in landscape or portrait style
- Security locking screws & Allen key provided for secure installation
- Simple 'hook-on' installation with all mounting hardware included



Available in Piano Black and Silver




23"
58cm



BT7513

Double Arm Flat Screen Wall Mount with Tilt and Swivel

- Designed for small flat screens up to 23" (58cm) / 15kg (33lbs)
- Fits screens with VESA® mounting patterns: 75 x 75mm and 100 x 100mm
- Easy tilt adjustment +17°/-10°
- Features 3 swivel points: 180° at wall, 360° at central pivot point, 240° at interface
- CLIPLOGIC™ cable management included
- 360° rotation for easy screen levelling and to allow screen to be mounted in landscape or portrait style
- Security locking screws & Allen key provided for secure installation
- Simple 'hook-on' installation with all mounting hardware included



Available in Piano Black and Silver



Registered Design Number: 001713280-0005




Registered Design Number: 001713280-0006

Features



For Technical
Specifications visit
www.btechavmounts.com


BT7513 Example Installation



Space Saving Design

Flat screen wall arms have been designed to save space. When the screen is in use, you can adjust your screen to the perfect viewing position. When you've finished watching, simply push the screen back against the wall and let the **CLIPLOGIC™** cable clips ensure that your cables stay in place.

Aerial View



Multi Positioning

The ultimate flexibility is achieved when you select a double arm wall mount. These mounts are ideal for many applications, including open plan living areas where one screen can be used to provide entertainment in 2 or more rooms.

Recommended for
Small
screens up to 23"



Medium Flat Screen Wall Mounts

Fixed

Tilt



BT7521

Low Profile Flat Screen Wall Mount

- Designed for medium flat screens up to 32" (81 cm) / 25kg (55lbs)
- Fits screens with VESA® mounting patterns:
75 x 75mm, 100 x 100mm and 200 x 100mm
- Low profile design mounts screen only 15mm (0.6") from wall
- Security locking screws & Allen key provided for a secure installation
- Simple 'hook-on' installation with all mounting hardware included



Available in Black and Silver



Registered Design Number: 001713280-0010



BT7522

Flat Screen Wall Mount with Tilt

- Designed for medium flat screens up to 32" (81 cm) / 25kg (55lbs)
- Fits screens with VESA® mounting patterns:
75 x 75mm, 100 x 100mm and 200 x 100mm
- Easy tilt adjustment +/-40°
- Mounts screen only 45mm (1.8") from wall
- Security locking screws & Allen key provided for secure installation
- Simple 'hook-on' installation with all mounting hardware included



Available in Black and Silver



Registered Design Number: 001713280-0012

Tilt & Swivel



For Technical
Specifications visit
www.btechavmounts.com



BT7524

Flat Screen Wall Mount with Tilt and Swivel

- Designed for medium flat screens up to 32" (81cm) / 20kg (44lbs)
- Fits screens with VESA® mounting patterns:
75 x 75mm, 100 x 100mm and 200 x 100mm
- Features +17° / -10° tilt and 180° swivel
- 360° rotation for easy screen levelling and to allow screen to be mounted in landscape or portrait style
- Security locking screws & Allen key provided for a secure installation
- Comes pre-assembled for quick and easy three step 'hook-on' installation
- All mounting hardware included



Available in Piano Black and Silver



Recommended for
Medium
screens up to 32"

Medium Flat Screen Wall Mounts

Fixed

Tilt



BT7532

Low Profile Flat Screen Wall Mount

- Designed for screens up to 42" (107cm) / 40kg (88lbs)
- Fits screens with VESA® mounting patterns: 75 x 75mm, 100 x 100mm, 200 x 100mm and 200 x 200mm
- Low profile design mounts screen only 15mm (0.6") from wall
- Security locking screws & Allen key provided for secure installation
- Simple 'hook-on' installation with all mounting hardware included



Available in Black and Silver



Registered Design Number: 001713280-0013



BT7523

Flat Screen Wall Mount with Tilt

- Designed for medium flat screens up to 42" (107cm) / 25kg (55lbs)
- Fits screens with VESA® mounting patterns: 75 x 75mm, 100 x 100mm, 200 x 100mm and 200 x 200mm
- Easy tilt adjustment +/-15°*
- Mounts screen only 52mm (2") from wall
- Security locking screws & Allen key provided for secure installation
- Comes pre-assembled for quick and easy three step 'hook-on' installation
- All mounting hardware included

* Subject to size of screen



Registered Design Number: 001713280-0012, 001713280-0017

Available in Piano Black and Silver

Tilt & Swivel



42"
107cm



BT7517

Flat Screen Wall Mount with Tilt and Swivel

- Designed for medium flat screens up to 42" (107cm) / 25kg (55lbs)
- Fits screens with VESA® mounting patterns:
75 x 75mm, 100 x 100mm, 200 x 100mm and 200 x 200mm
- Features +/-40° tilt and 180° swivel
- Security locking screws & Allen key provided for a secure installation
- Comes pre-assembled for quick and easy three step 'hook-on' installation
- All mounting hardware included



Registered Design Number: 001713280-0007, 001713280-0017

Available in Piano Black and Silver



For Technical
Specifications visit
www.btechavmounts.com

Recommended for
Medium
screens up to 42"

Medium / Large Flat Screen Wall Mounts

Single Arm

Recommended for
Medium
screens up to 42"




BT7514

Single Arm Flat Screen Wall Mount with Tilt and Swivel

- Designed for screens up to 42" (107cm) / 25kg (55lbs)
- Fits screens with VESA® mounting patterns:
75 x 75mm, 100 x 100mm, 200 x 100mm and 200 x 200mm
- Easy tilt adjustment +/-40°
- Features two swivel points: 180° at wall and 240° at interface
- Alternative short arm included
- CLIPLOGIC™ cable management included
- Security locking screws & Allen key provided for secure installation
- Simple 'hook-on' installation with all mounting hardware included

42"
107cm



Available in Piano Black and Silver



Registered Design Number: 001713280-0007

Double Arm



BT7515


Double Arm Flat Screen Wall Mount with Tilt and Swivel

- Designed for medium flat screens up to 42" (107cm) / 25kg (55lbs)
- Fits screens with VESA® mounting patterns:
75 x 75mm, 100 x 100mm, 200 x 100mm and 200 x 200mm
- Easy tilt adjustment +/-40°
- Features three swivel points: 180° at wall, 360° at central pivot and 240° at interface
- CLIPLOGIC™ cable management included
- Security locking screws & Allen key provided for secure installation
- Simple 'hook-on' installation with all mounting hardware included

42"
107cm



fulmotionmounts



Available in Piano Black and Silver



Registered Design Number: 000389994-(0003)

Single Arm

Recommended for
Med / Large
screens up to 50"

Double Arm



For Technical
Specifications visit
www.btechavmounts.com



50"
127cm




BT7534

Single Arm Flat Screen Wall Mount with Tilt and Swivel

- Designed for screens up to 50" (127cm) / 40kg (88lbs)
- Fits screens with VESA® mounting patterns:
75 x 75mm, 100 x 100mm, 200 x 100mm, 200 x 200mm, 200 x 300mm,
300 x 200mm, 300 x 300mm, 400 x 200mm, 400 x 300mm and 400 x 400mm
- Easy tilt adjustment +/-15°
- Features two swivel points: 180° at wall and 240° at interface
- Alternative short arm included
- CLIPLOGIC™ cable management included
- Security locking screws & Allen key provided for secure installation
- Simple installation with all mounting hardware included



Registered Design Number: 001713280-0014



Available in Piano Black and Silver



50"
127cm



fulmotionmounts


BT7535

Double Arm Flat Screen Wall Mount with Tilt and Swivel

- Designed for screens up to 50" (127cm) / 40kg (88lbs)
- Fits screens with VESA® mounting patterns: 75 x 75mm, 100 x 100mm, 200 x 100mm, 200 x 200mm,
200 x 300mm, 300 x 200mm, 300 x 300mm, 400 x 200mm, 400 x 300mm, 400 x 400mm
- Easy tilt adjustment +/-15°
- Features three swivel points: 180° at wall, 360° at central pivot and 240° at interface
- CLIPLOGIC™ cable management included
- Security locking screws & Allen key provided for secure installation
- Simple installation with all mounting hardware included




Registered Design Number: 001713280-0015



Available in Piano Black and Silver

Universal Flat Screen Wall Mounts


The universal range of flat screen mounts is the ideal mounting solution for medium to large screens where the mounting pattens can vary from screen manufacturer to manufacturer and model to model. The universal range features mounts with adjustable screen interfaces, suitable for both VESA® and non-VESA® compliant screens up to 65". As with all B-Tech flat screen wall mounts, comprehensive hardware kits are included for ease of installation.



Universal compatibility



Comprehensive screen fixing kit and hardware included



Post installation screen alignment



Low profile designs for close to the wall installations



Security locking bars included



Dual slotted interface rails for quick and easy installation without the need for washers



Recommended for
Flat Screen TVs

Ultra-Slim Universal Flat Screen Wall Mounts



Ideal for **LED** & **3D** Flat Screen TVs

A new range of Ultra-Slim Flat screen wall mounts ideal for LED, LCD, 3D and Plasma screens up to 65"

- Ultra-Slim design mounts screen only 14mm (0.6") from wall
- Contemporary mounting solution, for the latest generation of LED and 3D TVs
- Features unique 'Torsion Lock'[™] security
- Simple 'hook-on' installation with all mounting hardware included



FREE spirit level included with all Ultra-Slim wall mounts



Ultra-Slim design for a close to the wall installation



Unique 'Torsion Lock'[™] screen locking mechanism* for easy installation and to prevent unauthorised removal.
*PATENT PENDING



Spacers included for screens that require extra space for ventilation or to provide extra room for cable inputs



Ultra-Slim Universal Flat Screen Mounts

Medium

SUITABLE FOR
LED & 3D
FLAT SCREEN TVS



Recommended for
Medium
screens up to 45"



45"
114cm



BT8200

Ultra-Slim Universal Flat Screen Wall Mount

- Designed for LED, LCD and Plasma screens up to 45" (114cm) / 35kg (77lbs)
- Fits screens with mounting patterns up to H: 240mm (9.6") x V: 200mm (7.9") including VESA®: 75 x 75mm, 100 x 100mm, 200 x 100mm and 200 x 200mm
- Ultra-slim design mounts screen only 14mm (0.6") from wall
- Features OWLS™ On Wall Levelling System
- Suitable for concrete or brick walls
- Security locking screws, Allen key and locking bar provided for secure installation
- Universal screen fixing kit supplied, including M4, M5, M6, M8 screws and spacers
- Simple 'hook-on' installation with all mounting hardware included



Available in Black

Registered Design Number: 001713280-0037

Large

Extra-Large



For Technical
Specifications visit
www.btechavmounts.com

Recommended for
Large
screens up to 55"



55"
139cm



BT8210

Ultra-Slim Universal Flat Screen Wall Mount

- Designed for LED, LCD and Plasma screens up to 55" (139cm) / 50kg (110lbs)
- Fits screens with mounting patterns up to H: 440mm (17.4") x V: 400mm (15.7") including VESA®: 75 x 75mm, 100 x 100mm, 200 x 100mm, 200 x 200mm, 300 x 200mm, 300 x 300mm, 400 x 200mm, 400 x 300mm and 400 x 400mm
- Ultra-slim design mounts screen only 14mm (0.6") from wall
- Features 'OWLS™' On Wall Levelling System
- Suitable for concrete / brick or up to 16" stud walls
- Security locking screws, Allen key and locking bar provided for secure installation
- Universal screen fixing kit supplied, including M4, M5, M6, M8 screws and spacers
- Simple 'hook-on' installation with all mounting hardware included



Registered Design Number: 001713280-0038



Available in Black

Recommended for
X-Large
screens up to 65"



65"
165cm



BT8220

Ultra-Slim Universal Flat Screen Wall Mount

- Designed for LED, LCD and Plasma screens up to 65" (165cm) / 70kg (154lbs)
- Fits screens with mounting patterns up to H: 840mm (33.2") x V: 500mm (19.7") including VESA®: 75 x 75mm, 100 x 100mm, 200 x 100mm, 200 x 200mm, 300 x 200mm, 300 x 300mm, 400 x 200mm, 400 x 300mm, 400 x 400mm, 600 x 400mm and 800 x 400mm
- Ultra-slim design mounts screen only 14mm (0.6") from wall
- Features 'OWLS™' On Wall Levelling System
- Suitable for concrete / brick or up to 32" stud walls
- Security locking screws, Allen key and locking bar provided for secure installation
- Universal screen fixing kit supplied, including M4, M5, M6, M8 screws and spacers
- Simple 'hook-on' installation with all mounting hardware included



Registered Design Number: 001713280-0018



Available in Black

Universal Medium / Large Flat Screen Mounts

Fixed

Recommended for
Medium
screens up to 37"



37"
94cm



BT8421

Universal Flat Screen Wall Mount

- Designed for screens up to 37" (94cm) / 35kg (77lbs)
- Suitable for screens with VESA® and non-VESA® fixings with universal screen mounting kit included M4, M5, M6 and M8 screws
- Maximum distance between mounting holes: V 300mm (11.8") x H: 465mm (18.3")
- Compatible with VESA® mounting patterns:
75 x 75mm, 100 x 100mm, 200 x 100mm, 200 x 200mm, 300 x 200mm, 300 x 300mm, 400 x 200mm and 400 x 300mm
- Low profile design mounts screen only 30mm (1.2") from wall
- Locking bar included for secure installation
- Suitable for concrete / brick or up to 16" stud walls
- Simple 'hook-on' installation with all mounting hardware included



Available in Black

Tilt

Recommended for
Med / Large
screens up to 50"



50"
127cm



BT8431

Universal Flat Screen Wall Mount with Tilt

- Designed for screens up to 50" (127cm) / 35kg (77lbs)
- Simple tilt adjustment +/-18°
- Suitable for screens with VESA® and non-VESA® fixings with universal screen mounting kit including M4, M5, M6 and M8 screws
- Maximum distance between mounting holes V: 400mm (15.7") x H: 465mm (18.3")
- Compatible with VESA® mounting patterns: 75 x 75mm, 100 x 100mm, 200 x 100mm, 200 x 200mm, 300 x 200mm, 300 x 300mm, 400 x 200mm, 400 x 300mm and 400 x 400mm
- Mounts screen only 80mm (3.1") from wall
- Unique 'Torsion Tilt' mechanism Patent Pending*
- Locking bars included for secure installation
- Suitable for concrete / brick or up to 16" stud walls
- Simple 'hook-on' installation with all mounting hardware included



Unique 'Torsion Tilt' mechanism*

Available in Black

Registered Design Number: 001713280-0035

Registered Design Number: 001713280-0033

Fixed

Recommended for
X-Large
screens up to 65"

Tilt



For Technical
Specifications visit
www.btechavmounts.com



BT8422

Universal Flat Screen Wall Mount

- Designed for flat screens up to 65" (165cm) / 70kg (154lbs)
- Suitable for screens with VESA® and non-VESA® fixings with universal screen mounting kit including M4, M5, M6 and M8 screws
- Maximum distance between mounting holes V: 500mm (19.7") x H: 825mm (32.5")
- Compatible with VESA® mounting patterns: 75 x 75mm, 100 x 100mm, 200 x 100mm, 200 x 200mm, 300 x 300mm, 400 x 200mm, 400 x 300mm, 400 x 400mm, 600 x 400mm, 800 x 400mm and 800 x 500mm
- Low profile design mounts screen only 30mm (1.2") from wall
- Locking bars included for secure installation
- Suitable for concrete / brick or up to 32" stud walls
- Simple 'hook-on' installation with all mounting hardware included



Available in Black

Registered Design Number: 001713280-0034



BT8432

Universal Flat Screen Wall Mount with Tilt

- Designed for flat screens up to 65" (165cm) / 70kg (154lbs)
- Simple tilt adjustment +/- 15°
- Suitable for screens with VESA® and non-VESA® fixings with universal screen mounting kit including M4, M5, M6 and M8 screws
- Maximum distance between mounting holes V: 500mm (19.7") x H: 825mm (32.5")
- Compatible with VESA® mounting patterns: 75 x 75mm, 100 x 100mm, 200 x 100mm, 200 x 200mm, 300 x 200mm, 400 x 400mm, 600 x 400mm, 800 x 400mm and 800 x 500mm
- Mounts screen only 80mm (3.1") from wall
- Unique 'Torsion Tilt' mechanism Patent Pending*
- Locking bars included for secure installation
- Suitable for concrete / brick or up to 32" stud walls
- Simple 'hook-on' installation with all mounting hardware included



Unique 'Torsion Tilt' mechanism*

Registered Design Number: 001713280-0036

Available in Black

Universal Extra Large Flat Screen Mounts

Single Arm



For Technical
Specifications visit
www.btechavmounts.com



fullmotionmounts

Recommended for
Extra Large
screens up to 65"



65"
165cm



BT8222

Single Arm Flat Screen Wall Mount with Tilt and Swivel

- Designed for screens up to 65" (165cm) / 60kg (132lbs)
- Fits screens with mounting patterns up to H: 790mm (31") x V: 500mm (20") including VESA®: 200 x 100mm, 200 x 200mm, 300 x 200mm, 300 x 300mm, 400 x 200mm, 400 x 300mm, 400 x 400mm and 600 x 400mm
- Easy tilt adjustment +15°
- Features two swivel points: 180° at wall, 120° at interface
- Lateral adjustment at wall plate for a perfectly positioned display
- Features post installation screen levelling
- Integrated cable management
- Suitable for concrete / brick or stud walls up to 16"
- Universal screen fixing kit supplied, including M4, M5, M6 and M8 screws
- Simple 'hook-on' installation with all mounting hardware included



Available in Black



Registered Design Number: 001713280-0045

Double Arm



65"
165cm



fullmotionmounts

BT8223

Full Motion Double Arm Flat Screen Wall Mount with Tilt and Swivel

- Designed for screens up to 65" (165cm) / 60kg (132lbs)
- Full motion mount - ideal for corner mounting
- Fits screens with mounting patterns up to H: 790mm (31") x V: 500mm (20") including VESA®: 200 x 100mm, 200 x 200mm, 300 x 200mm, 300 x 300mm, 400 x 200mm, 400 x 300mm, 400 x 400mm and 600 x 400mm
- Easy tilt adjustment +15°
- Features three swivel points: 180° at wall, 360° at central pivot and 180° at interface
- Lateral adjustment at wall plate for a perfectly positioned display
- Features post installation screen levelling
- Integrated cable management
- Suitable for concrete / brick or stud walls up to 16"
- Universal screen fixing kit supplied, including M4, M5, M6 and M8 screws
- Simple 'hook-on' installation with all mounting hardware included



Available in Black



Registered Design Number: 001713280-0046

Double Cantilever



65"
165cm



fullmotionmounts

BT8224

Full Motion Double Cantilever Arm Flat Screen Wall Mount with Tilt and Swivel

- Designed for screens up to 65" (165cm) / 90kg (198lbs)
- Full motion mount - ideal for corner mounting
- Fits screens with mounting patterns up to H: 790mm (31") x V: 500mm (20") including VESA®: 200 x 100mm, 200 x 200mm, 300 x 200mm, 300 x 300mm, 400 x 200mm, 400 x 300mm, 400 x 400mm and 600 x 400mm
- Easy tilt adjustment +15°
- Double cantilever arms for enhanced strength and adjustability
- Features three swivel points: 180° at wall, 250° at central pivot and 180° at interface
- Lateral adjustment at wall plate for a perfectly positioned display
- Features post installation screen levelling
- Integrated cable management
- Suitable for concrete / brick or stud walls up to 24"
- Universal screen fixing kit supplied, including M4, M5, M6 and M8 screws
- Simple 'hook-on' installation with all mounting hardware included



Available in Black



Registered Design Number: 001713280-0047

Flat Screen Ceiling Mounts

Have you considered ceiling mounting your screen?

In many situations, ceiling mounting a screen is an attractive alternative to wall mounting. Ideal for open plan living areas, ceiling mounting allows you to position your screen in the perfect location for your room, without having to focus your living area around a wall. With mounting options for flat and angled ceilings, B-Tech have mounting options for virtually any application.



Options Include



Fixed or Adjustable

We offer both fixed and adjustable drop ceiling mounts, allowing you to select the right product for you. All mounts feature adjustable tilt so you can get the right viewing angle from your ceiling mounted screen.

Cable Management

Integrated cable management ensures that your installation is clean and tidy.

Adjustable Mounting Support

The BT7582 features a tilting ceiling plate, ideal for angled ceilings in applications such as barn or loft conversions.



Flat Screen Ceiling Mounts

Small Fixed

Recommended for
Small
screens up to 23"



BT7581

Fixed Drop Flat Screen Ceiling Mount with Tilt and Swivel

- Designed for screens up to 23" (58cm) / 10kg (22lbs)
- Fits screens with VESA® mounting patterns: 50 x 50mm, 75 x 75mm and 100 x 100mm
- Fixed ceiling drop of 205mm (8")
- Features +/-90° tilt and 360° swivel
- Post installation screen levelling
- Cover plate included for smart installation
- Simple installation with all mounting hardware included



23"
58cm



Available in Black and Silver

Small Adjustable

BT7582

Adjustable Drop Flat Screen Ceiling Mount with Tilt and Swivel

- Designed for screens up to 23" (58cm) / 10kg (22lbs)
- Fits screens with VESA® mounting patterns: 50 x 50mm, 75 x 75mm and 100 x 100mm
- Hand lever for easy adjustment of ceiling drop: Min 560mm (22") – Max 800mm (31.5")
- Features +/- 90° tilt and 360° swivel
- Easy to adjust and fix screen in position
- Suitable for angled / cathedral ceiling with +/- 50° tilt at ceiling plate
- Integrated cable management
- Safety wire for extra security
- Simple installation with all mounting hardware included



23"
58cm



Available in Black and Silver

Medium Adjustable



For Technical
Specifications visit
www.btechavmounts.com

Extra Large Adjustable

BT8426

Adjustable Drop Flat Screen Ceiling Mount with Tilt

- Designed for screens up to 50" (127cm) / 40kg (88lbs)
- Suitable for screens with VESA® and non-VESA® fixings with universal mounting kit including M4, M5, M6 and M8 screws
- Fits screens with VESA® mounting patterns:
75 x 75mm, 100 x 100mm, 200 x 100mm, 200 x 200mm, 300 x 200mm, 300 x 300mm, 400 x 200mm, 400 x 300mm and 400 x 400mm
- Adjustable ceiling drop:
800mm (31.5") – 1000mm (39.4")
- Easy adjustment of tilt +15° with fixed positions of 0°, +7.5° and +15°
- Integrated cable management
- Mounts screen in landscape or portrait formats
- Pre-assembled for simple 3 step installation
- Cover plate included for smart installation
- Simple hook-on installation with all mounting hardware included



Recommended for
Med / Large
screens up to 50"



50"
127cm



Registered Design Number: 4003130, 4003650

Available in Black and Silver

BT8427

Adjustable Drop Universal Flat Screen Ceiling Mount with Tilt

- Designed for screens up to 65" (165cm) / 70kg (154lbs)
- Suitable for screens with VESA® and non-VESA® fixings with universal mounting kit including M4, M5, M6 and M8 screws
- Maximum distance between mounting holes:
Vertical: 500mm (19.7") / Horizontal: 970mm (38.2")
- Compatible with VESA® mounting patterns:
75 x 75mm, 100 x 100mm, 200 x 100mm, 200 x 200mm, 300 x 200mm, 300 x 300mm, 400 x 200mm, 400 x 300mm, 400 x 400mm, 600 x 400mm, 800 x 400mm and 800 x 500mm
- Adjustable ceiling drop: 745mm (29.3") – 1000mm (39.4")
- Easy adjustment of tilt +20°
- Integrated cable management
- Mounts screen in landscape or portrait formats
- Simple hook-on installation with all mounting hardware included



Recommended for
X-Large
screens up to 65"



65"
165cm



Registered Design Number: 4003130, 4003650

Available in Black and Silver

Quick Release Mounting Adaptor

Recommended for
Small
screens up to 23"



23"
58cm



BT7590

Quick Release Mounting Adaptor for Small Screens

- Designed for small flat screens up to 23" (58cm) / 15kg (33lbs)*
- Fits screens with VESA® mounting patterns: 75 x 75mm and 100 x 100mm
- Must be used with a VESA® 75 x 75mm mount (sold separately)
- Quick release adaptor allows quick and easy screen removal for storage or use in other locations
- Ideal for use in boats, caravans, mobile homes, holiday homes and summer houses
- Simple 'hook-on' installation with all fixings included

*Does not increase the weight limit of the mount to which the BT7590 is attached



Available in Black and Silver

Under Cabinet Flat Screen Mount



17"
43cm



BT7525

Under Cabinet Flat Screen Mount for Small Screens

- Designed to mount flat screens under cabinets and shelves
- Ideal for small flat screens up to 17" (43cm) / 10kg (22lbs)
- Fits screens with VESA® mounting patterns: 50 x 50mm, 75 x 75mm and 100 x 100mm
- Features +/-15° tilt and 360° swivel
- Additional separate interface for cupboards with pelmets
- Simple installation with all mounting hardware included



Available in White and Silver



Registered Design Number: 000389994 (0004)

Flat Screen VESA® Mounting Adaptors

These flat screen mounting adaptors have been designed to increase the VESA® fixing compatibility of a standard VESA® mount, or to create a universal interface from a VESA® mount. For example, if you have a BT7532 VESA® mount and your screen has a VESA® 400 x 200mm mounting pattern, you can use the BT7540 to make the screen fit the BT7532. With a wide range of AV mounts in the core range, you are unlikely to need one of these adaptors if you are installing a new mount and screen. Where these adaptors are ideal, is when you change your screen. Rather than replacing the entire mount, you may simply be able to purchase one of these adaptors to make your new screen fit the old mount.



BT7506

- Converts VESA® 75 x 75mm or 100 x 100mm to VESA® 200 x 100mm
- Registered Design Number: 001713280-0002



BT7502

- Converts VESA® 75 x 75mm, 100 x 100mm or 200 x 100mm to VESA® 200 x 200mm
 - Can also convert to 200 x 100mm
- Registered Design Number: 001713280-0001



BT7542

- Converts VESA® 100 x 100mm to VESA® 200 x 100mm or converts VESA® 200 x 100mm to VESA® 200 x 200mm
- Registered Design Number: 001713280-0017



BT7540

- Converts VESA® 200 x 200mm to VESA® 300 x 200mm or 400 x 200mm
- Registered Design Number: 001713280-0016



BT7505

- Converts a VESA® 75 x 75mm or 100 x 100mm to a universal interface with maximum screen fixings of H: 123mm (4.8") – 570mm (22.4") x V: 300mm (11.8")



BT7508

- Converts VESA® 200 x 200mm to a universal interface with maximum screen fixings of H: 150mm (5.9") – 700mm (27.5"), V: 440mm (17.3")

Important: Actual screen size and weight limit dependant on mount to which the adaptor is attached.

Cable Management Solutions

B-Tech offer a range of Cable Management solutions to hide the ever present problem of trailing AV cables. The BT7070 Cable Manager is an aesthetically pleasing aluminium extrusion and is a stylish alternative to plastic conduit/trunking. In addition to the Cable Manager itself, B-Tech offer 90° corner connectors and a range of shelves to integrate with the cable manager. The shelving solutions provide a stylish way to support AV equipment under a wall mounted screen.

Hide those
unsightly cables!



Cable Manager

Modular Wall Plate

Accessories



BT7070

Premium Quality Aluminium Cable Manager

- Designed to hold and cover up to 4 AV cables*
- Contemporary extruded aluminium design
- Stylish alternative to plastic conduit or trunking
- Can be cut to desired length
- Black and white models may be painted to match surroundings
- Simple installation with all mounting hardware included
- Lengths Available 1m = BT7070-100, 1.5m = BT7070-150

*Depending on cable thickness



Available in Black, White and Silver

Registered Design Number: 3022076



Optional wall mounting plate to integrate BT7070 Cable Manager with a B-Tech flat screen wall mount. Note: This production is optional and does not have to be used in all installations. It simply provides improved cable management behind a screen and a clean and smart finish to an installation.

BT7075

Modular Wall Plate

- Wall plate designed to hold B-Tech flat screen mount
- Can be used in conjunction with B-Tech's BT7070 Cable Manager or as a standalone mount
- Cable can pass up / down the wall plate hole (40mm x 20mm)
- Simple installation with all mounting hardware included
- Maximum load with screen mount: 25kg
- Designed for use with BT7510, BT7511, BT7521 and BT7522 flat screen mounts



Available in Black, White and Silver

Registered Design Number: 4010384



BT7073

Cable Manager Accessory Additional Wall Mounting Clip

- Set of three Cable Manager clips
- Required when BT7070 Cable Manager is cut into shorter lengths
- All mounting hardware included



Available in Black



BT7072

Cable Manager Accessory 90° Corner Connector

- Creates a stylish right angle corner between two cable managers
- Easy installation - connector fits into two BT7070 cable managers



Available in Black, White and Silver

AV Component Glass Shelves




Organise your **AV Equipment**

A wall mounted flat screen leaves one problem; what to do with the AV components. B-Tech's wall mounted AV component shelves provide the ideal solution.

Glass shelves are available for small and large AV equipment and the shelves can optionally integrate with the BT7070 Cable Manager for a smart and 'cable free' installation.



Optionally integrates with BT7070 for a smart installation



Features tempered safety glass



Integrated cable management

Standard




For Technical
Specifications visit
www.btechavmounts.com

Large



OPTIONAL BT7070 CABLE MANAGER



OPTIONAL BT7070 CABLE MANAGER



BT7087

Stylish Glass AV Component Shelf For Audio Video Equipment

- Wall mounted shelf designed to hold DVD / Blu-Ray™ players, satellite receivers and games consoles up to 10kg (22lbs)
- Stylish design integrates with B-Tech Cable Manager (BT7070) for smart installations
- Supplied with non-slip polished alloy feet and 10mm (0.3") thick tempered safety glass shelf
- Glass shelf dimensions: 470mm (18.5") x 310mm (12.2")
- Simple installation with all mounting hardware included
- Can also be used as a standalone shelf

*This pack contains 1 (glass) shelf unit



Available in Black and Silver



Registered Design Number: 4010384, 4003647

BT7088

Stylish Glass AV Component Shelf For Audio Video Equipment

- Large wall mounted shelf designed to hold DVD / Blu-Ray™ players, satellite receivers and games consoles up to 10kg (22lbs)
- Stylish design integrates with B-Tech Cable Manager (BT7070) for smart installations
- Supplied with non-slip polished alloy feet and 10mm (0.3") thick tempered safety glass shelf
- Glass shelf dimensions: 500mm (19.6") x 398mm (15.6")
- Simple installation with all mounting hardware included
- Can also be used as a standalone shelf

*This pack contains 1 (glass) shelf unit



Available in Black and Silver



Registered Design Number: 4010384, 4003647

Speaker Mounts and Stands

The award winning range of B-Tech speaker mounts and stands offer a wide range of mounting options for your home cinema surround sound or hi-fi loudspeakers. Wall and ceiling mounts are available for speakers up to 25kg and a wide range of speaker floor stands feature heavy weight metal or aesthetically pleasing glass bases. Integrated cable management and speaker cable pull through wires are included for easy installation.



mountlogic[®]
range



Common Features



Easy 1-2-3 step installation

B-Tech mounts are supplied pre-assembled for a quick and easy installation every time.



Speaker Mounting Adaptors

Adaptors to mount speakers with single, dual point or keyhole fixings.



Cable Management

Cable management system with cable pull through wire included.



Stylish Designs

Contemporary, stylish bases on all our floor stand speaker mounts.

Home Cinema Speaker Wall Mounts

with Tilt & Swivel



BT33

Home Cinema Speaker Wall Mount (Single)

- Designed for home cinema speakers up to 5kg (11lbs)
- Speakers adjustable; up / down / sideways
- Features +/-20° tilt adjustment and 180° swivel
- Includes adaptors for keyhole, single point and dual point fixings
- Distance between dual point fixings: Min: 51mm (2.0") - Max: 67mm (2.6")
- Suitable for speakers using M5, M6, UNC 1/4" and wood screws
- Simple 'hook-on' installation with all mounting hardware included
- Mounts speaker only 72mm (2.8") from wall
- No visible wall fixing screws
- 1 mount
- Patent Nos. 1546599 US Patent Nos. 7,523,906,B2



Available in Black, White and Silver



BT332

Home Cinema Speaker Wall Mounts (Pair)

- Designed for home cinema speakers up to 5kg (11lbs)
- Speakers adjustable; up / down / sideways
- Features +/-20° tilt adjustment and 180° swivel
- Includes adaptors for keyhole, single point and dual point fixings
- Distance between dual point fixings: Min: 51mm (2.0") - Max: 67mm (2.6")
- Suitable for speakers using M5, M6, UNC 1/4" and wood screws
- Simple 'hook-on' installation with all mounting hardware included
- Mounts speaker only 72mm (2.8") from wall
- No visible wall fixing screws
- Supplied in pairs
- Patent Nos. 1546599 US Patent Nos. 7,523,906,B2



Available in Black, White and Silver



Registered Design Number: 4010389



Registered Design Number: 4010389

Home Cinema Speaker Ceiling Mounts

with Tilt & Swivel



For Technical
Specifications visit
www.btechavmounts.com



BT34

Home Cinema Speaker Ceiling Mount (Single)

- Designed for home cinema speaker mounts up to 5kg (11lbs)
- Features +/-90° tilt adjustment and full 360° swivel
- Can be ceiling or wall mounted
- Includes adaptors for single point, dual point and keyhole fixings
- Suitable for speakers using M5, M6 and UNC 1/4" screws
- Distance between dual point fixings: Min: 57mm (2.2") - Max: 67mm (2.6")
- Cover plate included for smart installation
- Simple installation with all mounting hardware included
- 1 mount



Available in Black, White and Silver



BT342

Home Cinema Speaker Ceiling Mounts (Pair)

- Designed for home cinema speaker mounts up to 5kg (11lbs)
- Features +/-90° tilt adjustment and full 360° swivel
- Can be ceiling or wall mounted
- Includes adaptors for single point, dual point and keyhole fixings
- Suitable for speakers using M5, M6 and UNC 1/4" screws
- Distance between dual point fixings: Min: 57mm (2.2") - Max: 67mm (2.6")
- Cover plate included for smart installation
- Simple installation with all mounting hardware included
- Supplied in pairs



Available in Black, White and Silver

Speaker Wall Mounts

with tilt & swivel

with tilt & swivel



BT5

Home Cinema Speaker Wall Mount with Tilt and Swivel

- Designed for small home cinema speakers weighing up to 5kg (11lbs)
- Thumbwheel for easy tilt and swivel adjustment
- Features +20°/-15° tilt adjustment and 180° swivel
- Moulded from glass filled nylon for low resonance and durability
- Simple installation with all mounting hardware included
- Mounts speaker only 80mm (3.1") from wall
- Suitable for single point and dual point fixings
- Suitable for speakers using M5, M6, UNC 1/4" & Wood Screws
- Supplied in pairs



Available in Black

BT1

Speaker Wall Mount with Tilt and Swivel

- The original 'tilt and swivel' mount
- Designed for small to medium loudspeakers weighing up to 10kg (22lbs)
- Features +20°/-15° tilt adjustment and 180° swivel
- Moulded from glass-filled nylon for low resonance and durability
- Simple hook-on installation with all mounting hardware included
- Mounts speaker only 75mm (3") from wall
- Suitable for speakers using Wood Screws
- Supplied in pairs



Available in Black



Ultragrip Pro™

Centre Speaker Mount



BT77

Ultragrip Pro™ Side Clamping Loudspeaker Wall Mount with Tilt and Swivel

- Designed for speakers weighing up to 25kg (55lbs)
- Suitable for most speakers including curved front types
- Adjustable clamp size: 135mm (5.3") – 280mm (11")
- Features +/- 7° tilt and 360° swivel
- Suitable for concrete, brick or wooden stud walls
- No visible wall fixing screws
- Simple installation with all mounting hardware included
- Supplied in pairs



Available in Black and Silver



BT15

Centre Speaker Wall Mount with Adjustable Arms

- Designed for loudspeakers up to 15kg (33lbs)
- Ideal for centre channel speakers, DVD players and other AV equipment
- Allows speaker to be positioned for optimum esoteric performance
- Easy adjustment of arm depth
- Adjustable arm dimensions: 180mm (7.1") - 290mm (11.4")
- Simple installation with all mounting hardware included
- 2 wall arms supplied



Available in Black and Silver



Home Cinema

Speaker Floor Stands

Stealth Onyx™



BT114

Stealth Onyx™ Home Cinema Speaker Floor Stands with Stylish Glass Base



- Designed for home cinema speakers up to 2kg (4.4lbs)
- Contemporary speaker stands with tempered glass base
- Adjustable height: 685mm (27") - 1060mm (42")
- Includes adaptors for single point, dual point and keyhole fixings
- Suitable for speakers using M5, M6 and UNC 1/4" screws
- Distance between dual point fixings: Min: 45mm (1.8") - Max: 67mm (2.6")
- Alternative mounting platform supplied for speakers without fixing holes
- Comprehensive mounting kit included
- Integrated cable management with speaker cable pull through wire
- Simple assembly and speaker mounting
- Supplied in pairs



Stylish Glass Base



Multiple fixing options



Available in Black






BT111

Stealth Crystal™ Home Cinema Speaker Floor Stands with Stylish Glass Base



- Designed for home cinema speakers up to 3kg (6.6lbs)
- Contemporary speaker stands featuring chrome plated support columns and 15mm (0.6") thick tempered glass base
- Adjustable height: 685mm (27") - 1060mm (42")
- Includes adaptors for speakers with single point, dual point and keyhole fixings
- Alternative mounting platform supplied for speakers without fixing holes
- Suitable for speakers using M5, M6 and UNC 1/4" screws
- Distance between dual point fixings: Min: 45mm (1.8") - Max: 67mm (2.6")
- Supplied with a choice of padded feet or spikes to optimise performance on various floor surfaces (wooden, carpet etc.)
- Comprehensive mounting kit included
- Integrated cable management with speaker cable pull through wire for easy installation
- Simple assembly and speaker mounting
- Supplied in pairs



Stylish Glass Base



Multiple fixing options



Available in Chrome



BT11

Stealth™ Home Cinema Speaker Floor Stands with Heavy Duty Die-Cast Base



- Designed for home cinema speakers up to 5kg (11lbs)
- Heavy Duty 2.26kg die-cast base for greater stability, esoteric performance and to curb unwanted vibration
- Adjustable height: 685mm (27") - 1060mm (42")
- Suitable for speakers with single point, dual point or keyhole fixings
- Distance between dual point fixings: Min: 45mm (1.8") - Max: 67mm (2.6")
- Suitable for speakers using M5, M6 and UNC 1/4" screws
- Alternative mounting platform supplied for speakers without fixing holes
- Comprehensive mounting kit included
- Integrated cable management with speaker cable pull through wire
- Simple assembly and speaker mounting
- Supplied in pairs



Multiple fixing options



Available in Black or Silver



Registered Design Number: 3003354

Home Cinema

Speaker Floor Stands

Hi-Logic Plus™



BT10

Hi-Logic Plus™ Home Cinema Speaker Floor Stands with Heavy Duty Die-Cast Base

- Designed for home cinema speakers up to 10kg (22lbs)
- Heavy Duty 2.26kg die-cast base for greater stability, esoteric performance and to curb unwanted vibration.
- Adjustable height: 660mm (26") - 1200mm (47.2")
- Suitable for speakers with single point, dual point or keyhole fixings
- Distance between dual point fixings: Min: 45mm (1.8") - Max: 67mm (2.6")
- Suitable for speakers using M5, M6 and UNC 1/4" screws
- Alternative vice clamp adaptor supplied for speakers without fixing holes
- Maximum width of clamp 80mm (3.5") - 160mm (6.2")
- Comprehensive mounting kit included
- Integrated cable management with speaker cable pull through wire
- Simple assembly and speaker mounting
- Supplied in pairs



Registered Design Number: 3003353

Available in Black or Silver



Multiple fixing options



BT608

Atlas™ Loudspeaker Floor Stands 80cm (31.5") Height

- Twin columned floor stands for loudspeakers up to 15kg (33lbs)
- Sound isolating loudspeaker floor stands
- Fillable columns for superior dampening
- Solid construction using heavy gauge steel for enhanced stability
- Top and bottom isolation spikes provided
- Foam pads included as an alternative to isolating support spikes
- Suitable for all types of floors including wood and carpet with supplied protection discs
- Stand height: 80cm (31.5")
- Top plate dimensions: 125mm x 125mm (4.9" x 4.9")
- Base plate dimensions: 240mm x 240mm (9.5" x 9.5")
- Simple assembly and easy speaker mounting
- Supplied in pairs



Fillable for superior dampening and added esoteric performance



Unique scroll-turned base with sound isolating spikes & floor protection discs



Isolating speaker support spikes



Alternative foam pads for speaker or floor protection



Available in Black or Silver

Available in 40cm, 60cm and 80cm heights

BT606

Atlas™ Loudspeaker Floor Stands 60cm (23.6") Height

- Twin columned floor stands for loudspeakers up to 35kg (77lbs)
- Sound isolating loudspeaker floor stands
- Fillable columns for superior dampening
- Solid construction using heavy gauge steel for enhanced stability
- Top and bottom isolation spikes provided
- Foam pads included as an alternative to isolating support spikes
- Suitable for all types of floors including wood and carpet with supplied protection discs
- Stand height: 60cm (23.6")
- Top plate dimensions: 160mm x 160mm (6.3" x 6.3")
- Base plate dimensions: 240mm x 240mm (9.5" x 9.5")
- Simple assembly and easy speaker mounting
- Supplied in pairs



Fillable for superior dampening and added esoteric performance



Unique scroll-turned base with sound isolating spikes & floor protection discs



Isolating speaker support spikes



Alternative foam pads for speaker or floor protection



Available in Black or Silver

BT604

Atlas™ Loudspeaker Floor Stands 40cm (15.8") Height

- Twin columned floor stands for loudspeakers up to 50kg (110lbs)
- Sound isolating loudspeaker floor stands
- Fillable columns for superior dampening
- Solid construction using heavy gauge steel for enhanced stability
- Top and bottom isolation spikes provided
- Foam pads included as an alternative to isolating support spikes
- Suitable for all types of floors including wood and carpet with supplied protection discs
- Stand height: 40cm (15.8")
- Top plate dimensions: 190mm x 190mm (7.5" x 7.5")
- Base plate dimensions: 240mm x 240mm (9.5" x 9.5")
- Simple assembly and easy speaker mounting
- Supplied in pairs



Fillable for superior dampening and added esoteric performance



Unique scroll-turned base with sound isolating spikes & floor protection discs



Isolating speaker support spikes



Alternative foam pads for speaker or floor protection



Available in Black or Silver

Home Cinema Projector Mounts

The Mountlogic range of projector mounts provide wall and ceiling mounting options for small to large home cinema projectors up to 25kg in weight. There are mounting options for a close to the ceiling or adjustable drop installation. All mounts come supplied with a comprehensive projector mounting kit and B-Tech's 'Carousel' mounting plate ensures universal projector compatibility.

mountlogic[®]
range



Projector Features



Carousel Mounting

A universal 'Carousel' mounting plate allows for universal projector compatibility.



AViBALL® Technology

Patented AViBALL technology is a unique ball joint which allows for easy mount adjustment making installation even easier.



Coverplates Included

Coverplates are included for a cleaner finish and hide all mounting screws and Carousel fixings.

Projector Ceiling Mounts

Universal



BT881

Universal Projector Ceiling Mount

- Designed for LCD/LED/DLP projectors up to 10kg (22lbs)
- Mounts projector only 115mm (4.5") from ceiling or 280mm (11") with supplied extension rod
- +/-90° tilt adjustment, +/-90° roll adjustment and 360° swivel
- Coverplates included for smart installation
- Easy to adjust and fix projector in position
- Steel safety wire for extra security
- Maximum distance between any two fixing points on projector: 340mm (13.4")
- Suitable for projectors with M2.5, M3, M4, M5 and M6 fixings
- Simple installation with all mounting hardware included



Available in Black, White and Silver



Universal

with AViBALL® Technology



BT889

Universal Projector Ceiling Mount with AViBALL® Technology

- Designed for LCD/LED/DLP projectors up to 15kg (33lbs)
- Mounts projector only 125mm (4.9") from ceiling
- Optional extensions included to mount projector with 210mm (8.2") or 300mm (11.8") drop
- Features +/-37° tilt, +/-37° roll and 360° swivel
- Patented AViBALL® technology allows easy adjustment and simple locking in place
- Coverplates included for smart installation
- Unique 'Carousel' mounting plate for universal compatibility
- Maximum distance between any 2 fixing points: 340mm (13.4")
- Suitable for projectors using M2.5, M3, M4, M5 and M6 fixings
- Simple 'hook-on' installation with all mounting hardware included
- Patent No. 2437850B



Available in Black and Silver



Registered Design Number: 000636196/-0002, 3016251

Heavy Duty Universal



For Technical
Specifications visit
www.btechavmounts.com



BT899

Universal Heavy Duty Projector Ceiling Mount with Micro Adjustment

- Designed for LCD/LED/DLP projectors up to 25kg (55lbs)
- Compatible with the B-Tech System 2™ Professional Range and NPT pipe systems
- Comes pre-assembled for quick installation
- Features +/-13° tilt, +/-6° roll and 360° swivel
- Can be mounted onto 50mm (2") extension poles and 1.5" NPT pipes for alternative installations
- Optional micro-adjustment for short throw projectors
- Theft deterrent security screws provided as standard
- Suitable for projectors using M2.5, M3, M4, M5 and M6 fixings
- All mounting hardware & fixings included
- Maximum distance between any two fixing points 370mm (14.6")



Available in Black



Registered Design Number: 001713306-0004



Adjustable Drop Universal

Universal Long Drop

BT882

Universal Projector Ceiling Mount with Adjustable Drop

- Designed for LCD/LED/DLP projectors up to 10kg (22lbs)
- Hand lever for easy adjustment of ceiling drop: Min: 580mm (22.8") – Max: 830mm (32.7")
- Features 90° tilt, 90° roll and 360° swivel
- Suitable for angled / cathedral ceilings
- Integrated cable management
- Unique 'Carousel' mounting plate for universal compatibility
- Coverplates included for smart installation
- Maximum distance between any two fixing points on projector: 340mm (13.5")
- Suitable for projectors with M2.5, M3, M4, M5 and M6 fixings
- Simple installation with all mounting hardware and fixings included



BT883

Universal Projector Ceiling Mount with Long Adjustable Drop

- Designed for LCD/LED/DLP projectors up to 10kg (22lbs)
- Hand lever for easy adjustment of ceiling drop: Min: 830mm (32.6") – Max: 1330mm (52.3")
- Features 90° tilt, 90° roll and 360° swivel
- Suitable for angled / cathedral ceilings
- Integrated cable management
- Unique 'Carousel' mounting plate for universal compatibility
- Coverplates included for smart installation
- Maximum distance between any two fixing points on projector: 340mm (13.5")
- Suitable for projectors with M2.5, M3, M4, M5 and M6 fixings
- Simple installation with all mounting hardware and fixings included



Available in Black and Silver



Available in Black and Silver

Wall Mount



For Technical
Specifications visit
www.btechavmounts.com



BT885

Universal Projector Wall Mount With AViBALL® Technology

- Designed for LCD/LED/DLP projectors up to 15kg (33lbs)
- Hand wheels for easy adjustment of projector: 110mm (4.3") – 360mm (14.1") from wall
- Features +/-37° tilt, +/-37° roll and 360° swivel
- Integrated cable management
- Coverplates included for smart installation
- Maximum distance between any 2 fixing points on projector: 340mm (13.5")
- Unique 'Carousel' mounting plate for universal compatibility
- Suitable for projectors with M2.5, M3, M4, M5 and M6 fixings
- Quick release and simple hook on installation
- All mounting hardware and fixings included
- Patent No. 2437850B



Available in Black and Silver



Registered Design Number: 4010383, 3016251



High Speed HDMI Cable with Ethernet



The BTXLR39 High Speed HDMI Cable from B-Tech features a high quality construction for superior performance. Constructed from 26 or 28 AWG conductors and featuring gold plated connectors, this cable is capable of transmitting Full HD, 3D and Ethernet signals at high speed.

With stylish high density nylon mesh braiding, this high quality HDMI cable is ideal for all applications from a basic DVD to TV setup to a fully featured home cinema installation with 3D and Ethernet transmission.



BTXLR39

HDMI[®]
HIGH-DEFINITION MULTIMEDIA INTERFACE



Cable Construction




Diagram above shows the 1m, 2m, 3m and 5m cable. The 10 and 15m cables feature higher specification conductors to ensure single transmission.

High Speed HDMI Cable Plug to Plug

- Suitable for the latest generation of LED, LCD, Plasma and 3D screens
- High speed 14.93Gbps / 340MHz cable
- HDMI Ethernet channel
- Capable of transferring Full HD 1080p signals
- Maximum compliance resolution 4096 x 2160P @ 24Hz
- Ferrites included to suppress interference
- Audio return channel, deep colour and x.v. colour support
- Easy grip plugs with 24K gold plated connectors for superior performance
- High grade Oxygen Free Copper conductors for minimum signal loss
- Individually shielded and fully screened to eliminate RF and EM interference



Available in the following lengths:

BTXLR39-010 - 1m • BTXLR39-020 - 2m • BTXLR39-030 - 3m
BTXLR39-050 - 5m • BTXLR39-100 - 10m • BTXLR39-150 - 15m



Your No.1 when it comes to AV Care and Cleaning Accessories

* Ensure screen is turned off and cool before cleaning



BTBIB641

Flat Screen Cleaning Kit for Small Screens

- Specifically designed for cleaning small LCD, LED and TFT screens
- Anti-static cleaning gel – specifically formulated not to run down screen
- Includes wiper to enable a cleaner streak free finish than traditional cloth methods
- To keep screens clean and to prevent static build up, it is recommended that the screen is cleaned at least once a week with this kit
- 30ml Bottle

Free replacement cloth included



BTBIB642

Flat Screen Cleaning Kit

- Specifically designed for cleaning LCD, LED and Plasma screens
- Anti-static cleaning gel – specifically formulated not to run down screen
- Replacement cloth included
- Includes wiper to enable a cleaner streak free finish than traditional cloth methods
- To keep screens clean and to prevent static build up, it is recommended that the screen is cleaned at least once a week with this kit
- 45ml Bottle

Free replacement cloth included

Premium Laser Lens Cleaners



BTBIB639N

10 Brush CD Laser Lens Cleaner

- Cleans CD laser lens for improved sound quality
- Ten micro-fibre, optical grade brushes
- On-disc audio instructions and audio system diagnostic test program
- Also compatible with PS3*, Xbox 360*, PCs and CD autochangers



BTBIB37N

10 Brush DVD Laser Lens Cleaner

- Cleans DVD laser lens for improved picture and sound quality
- Ten micro-fibre, optical grade brushes
- On-screen instructions and menu
- Surround sound test program
- Colour calibration program
- Also compatible with PS3*, Xbox 360* and PCs




BTBIB47N

Blu-Ray™ Laser Lens Cleaner


- Cleans Blu-Ray laser lens for improved picture and sound quality
- Three ultra-fine micro-fibre, optical grade brushes
- On-screen instructions and menu
- Compatible with Blu-Ray players, PS3*, BD and BD-R drives

AV Mounts and Accessories from B-Tech



Full Line Catalogue

Featuring our complete range of mounts, supports and accessories, this catalogue is the one stop reference for all your mounting needs.




Desk Mounts

A range of desk mounting solutions ideal for all office applications, from a small home office to a large call centre.

Request a catalogue today!

visit www.btechavmounts.com for more information




Ventry™

Our entry range of mounting solutions offer excellent value for money with a number of added features.



AV Care and Cleaning

A range of AV Care and Cleaning products from Bib® – AV care and cleaning since 1954.



AV Controls


A range of AV controls and switches from B-Tech.

B-Tech's "System 2™" series is a component based system for professional installations. For greater flexibility and convenience components are supplied individually. Ceiling / wall brackets, extension poles, accessory collars and AV mounts are ordered separately, depending on the requirements of the installation.

The "System 2™" range works on a modular principle with 50mm (2") diameter poles that can easily be cut to length and joined. Poles may be attached to the wall or ceiling and can hold all manner of AV devices with the use of accessory collars and mounts from B-Tech.

Mounts for joists, purlins, i-beams and both internal and external pole joiners make the "System 2™" range a truly versatile and flexible modular mounting system. This new range is compatible with existing installations and may also be used in conjunction with truss systems, scaffolding poles, NPT pipes or other poles from 48mm to 51mm (2") in diameter.

Accessory brackets and collars also allow other AV equipment such as Speakers, DVD players or Laptop computers to be mounted onto the installation. The full range has been designed to include coverplates that hide the mounting fixings. This combined with the new 'taper trim' that clearly blends the mounts to the pole, results in a very aesthetically pleasing and highly adaptable mounting range to suit any installation requirement.





The Professional's choice for audio video mounts and supports.



SYSTEM2™



For Technical
Specifications visit
www.btechavmounts.com

Index

Product Code	Page Number	Product Code	Page Number	Product Code	Page Number	Product Code	Page Number
BT1	42	BT7502	33	BT7540	33	BT883	52
BT10	46	BT7505	33	BT7542	33	BT885	53
BT11	45	BT7506	33	BT7581	30	BT889	50
BT111	45	BT7508	33	BT7582	30	BT899	51
BT114	44	BT7510	10	BT7590	32	BTBIB37N	57
BT15	43	BT7511	10	BT77	43	BTBIB47N	57
BT33	40	BT7512	12	BT8200	22	BTBIB639N	57
BT332	40	BT7513	12	BT8210	23	BTBIB641	56
BT34	41	BT7514	18	BT8220	23	BTBIB642	56
BT342	41	BT7515	18	BT8222	26	BTXLR39	55
BT5	42	BT7517	17	BT8223	27		
BT604	47	BT7518	11	BT8224	27		
BT606	47	BT7521	14	BT8421	24		
BT608	46	BT7522	14	BT8422	25		
BT7070	35	BT7523	16	BT8426	31		
BT7072	35	BT7524	15	BT8427	31		
BT7073	35	BT7525	32	BT8431	24		
BT7075	35	BT7532	16	BT8432	25		
BT7087	37	BT7534	19	BT881	50		
BT7088	37	BT7535	19	BT882	52		



mountlogic[®] from B-Tech[®]
range



The Logical Mounting Solution



B - T E C H A U D I O V I D E O M O U N T S

www.btechavmounts.com

Distributed by

HEAD OFFICE

B-Tech International Limited.

Bennett House, Long March, Daventry,
Northamptonshire, NN11 4NR, UK

From within the UK Tel: 0844 800 0445 • Fax: 0844 800 0446

From outside the UK Tel: +44 (0)1327 300787 • Fax: +44 (0)1327 706562

Email: info@btechavmounts.co.uk

EUROPE

B-Tech Pro-AV BVBA

Brixtonlaan 32, Zaventem 1930,

Brussels, Belgium

Tel: +32 (0)2 720 9271

Fax: +32 (0)2 725 4215

Email: info@btechproav.com

NORTH AMERICA

B-Tech Audio Video Mounts

208 Edgert Road, Buffalo,

NY 14215, USA

Tel: (1) 800 975 5812

Fax: (1) 800 592 2876

Email: info@btechavmounts.com

SINGAPORE

B-Tech AV Mounts Pte. Ltd.

Ruby Industrial Complex,

Singapore 347740

Tel: (+65) 6941 2988

Fax: (+65) 6491 5613

Email: info@btechavmounts.com.sg

ASIA PACIFIC

B-Tech International (Hong Kong) Ltd.

1503 Prosperity Millennia Plaza,

683 King's Road, Quarry Bay, Hong Kong

Tel: (+852) 2556 7337

Fax: (+852) 2556 7321

Email: info@btechavmounts.com.hk



Designed & Engineered in the UK

© 2010 B-Tech International Limited, a division of Bennett Technologies Limited. All rights reserved

The information in this catalogue reflects the current technical specifications at the time of print. We reserve the right to change the technical or physical specifications without prior notice. The B-Tech name, the B-Tech logo, Better by Design, Mountlogic, Ventry, System2, OWLS, Aviball, Avlock, HiLogic Plus, Ultragrip Pro, Stealth, Stealth Onyx, Stealth Crystal, Atlas and Btb are trademarks or registered trademarks of B-Tech International Ltd. All B-Tech images and symbols are exclusive property of B-Tech International Ltd. All other brands and products are trademarks of their respective owners. B-Tech accept no liability for loss or damage caused by improper installation or mounting on unstable structures. EXOE.



B - T E C H A U D I O V I D E O M O U N T S

